

Patient Instructions

Stool Collection Instructions

You have been provided one or more of the following containers:

- Stool Microscopy for Ova & Parasites with Transport Medium SAF Fixative (Clear Liquid)
- Clean vial (No liquid)

Warning: Do not pour out or drink liquid



Urinate into the toilet if needed.





PLASTIC WRAP

Lift toilet seat. Place sheets of plastic wrap (eg. Saran $Wrap^{TM}$) over the toilet bowl, leaving a slight dip in the center. Place the toilet seat down. Pass stool onto plastic wrap.



OR



3 Alternatively, use a clean bowl or sterilized bedpan. Do not let urine or water touch the stool specimen.



4 Using the spoon attached to the cap, place bloody or slimy/white (mucous) areas of the stool (if present) into container(s). Do not over-fill the container(s). Note: Place stool into collection container(s) within 30 minutes of passing.





5 Container(s) with liquid:

Add 2-3 spoonfuls of stool until the liquid reaches the "FILL LINE". **Tighten cap(s) securely and shake to mix**.

Container that is clean and empty:

Add stool to the "FILL LINE". Tighten cap securely.



Wash hands with soap and water.
Write Name, Date of Birth or Health Card Number, and Date and Time of collection on each container.
Place container(s) into plastic bag(s) and seal.



Refrigerate and return specimen(s) to the lab on the same day of collection. If the specimen is collected overnight, return it to the lab as soon as possible in the morning. Delays may affect test results.

Title: **Stool Collection Instructions**Doc.#39144 Ver 3.0 Page 1 of 1